

```
CREATE TABLE `archived_couch_events` (  
  `couch_id` varchar(32) COLLATE  
utf8_unicode_ci NOT NULL,  
  `couch_revision` varchar(34) COLLATE  
utf8_unicode_ci NOT NULL,  
  `loader_version` varchar(10) COLLATE  
utf8_unicode_ci NOT NULL,  
  `reporting_enabled` tinyint(1) NOT NULL,  
  `reporting_suppressed` tinyint(1) NOT NULL,  
  `compliant` tinyint(1) DEFAULT NULL,  
  `voice_alarm_sounded` tinyint(1) DEFAULT  
NULL,  
  `unix_timestamp` double(12,2) DEFAULT NULL,  
  `timestamp` datetime DEFAULT NULL,  
  `timezone` varchar(255) COLLATE  
utf8_unicode_ci DEFAULT NULL,  
  `event_date` date DEFAULT NULL,  
  `shift_date` date DEFAULT NULL,  
  `year` int(10) unsigned NOT NULL,  
  `month` int(10) unsigned NOT NULL,  
  `day` int(10) unsigned NOT NULL,  
  `week` int(10) unsigned NOT NULL,  
  `day_of_week` int(10) unsigned NOT NULL,  
  `hour` int(10) unsigned NOT NULL,  
  `shift` int(10) unsigned NOT NULL,  
  `customer_id` int(10) unsigned NOT NULL,  
  `room_config_id` int(10) unsigned NOT NULL,  
  `room_mode` varchar(32) COLLATE  
utf8_unicode_ci DEFAULT NULL,  
  `room_system_id` int(10) unsigned DEFAULT
```

```
NULL,  
    `room_facility_id` int(10) unsigned DEFAULT  
NULL,  
    `room_building_id` int(10) unsigned DEFAULT  
NULL,  
    `room_wing_id` int(10) unsigned DEFAULT NULL,  
    `room_floor_id` int(10) unsigned DEFAULT  
NULL,  
    `room_unit_id` int(10) unsigned DEFAULT NULL,  
    `room_hall_id` int(10) unsigned DEFAULT NULL,  
    `room_room_id` int(10) unsigned DEFAULT NULL,  
    `sensor_id` int(10) unsigned DEFAULT NULL,  
    `sensor_role` varchar(32) COLLATE  
utf8_unicode_ci DEFAULT NULL,  
    `sensor_box_build_id` int(10) unsigned  
DEFAULT NULL,  
    `sensor_dispense_offset_seconds` int(11)  
DEFAULT NULL,  
    `sensor_building_id` int(10) unsigned DEFAULT  
NULL,  
    `sensor_wing_id` int(10) unsigned DEFAULT  
NULL,  
    `sensor_floor_id` int(10) unsigned DEFAULT  
NULL,  
    `sensor_unit_id` int(10) unsigned DEFAULT  
NULL,  
    `sensor_hall_id` int(10) unsigned DEFAULT  
NULL,  
    `sensor_room_id` int(10) unsigned DEFAULT  
NULL,
```

```
`user_id` int(10) unsigned DEFAULT NULL,  
`badge_id` int(10) unsigned NOT NULL,  
`badge_class` smallint(5) unsigned DEFAULT  
NULL,  
`group_id` int(10) DEFAULT NULL,  
`chsh_group_type` varchar(64) COLLATE  
utf8_unicode_ci DEFAULT NULL,  
`group_tier_0_id` int(10) unsigned DEFAULT  
NULL,  
`group_tier_1_id` int(10) unsigned DEFAULT  
NULL,  
`group_tier_2_id` int(10) unsigned DEFAULT  
NULL,  
`group_tier_3_id` int(10) unsigned DEFAULT  
NULL,  
`group_tier_4_id` int(10) unsigned DEFAULT  
NULL,  
`group_tier_5_id` int(10) unsigned DEFAULT  
NULL,  
`group_tier_6_id` int(10) unsigned DEFAULT  
NULL,  
`group_tier_7_id` int(10) unsigned DEFAULT  
NULL,  
`group_tier_8_id` int(10) unsigned DEFAULT  
NULL,  
`group_tier_9_id` int(10) unsigned DEFAULT  
NULL,  
`created_at` timestamp NULL DEFAULT NULL,  
`updated_at` timestamp NULL DEFAULT NULL,  
`deleted_at` timestamp NULL DEFAULT NULL,
```

```

    `partition_id` tinyint(3) unsigned NOT NULL
    DEFAULT '0',
    `silenced` tinyint(3) unsigned DEFAULT NULL,
    KEY `couch_events_couch_id_index`
    (`couch_id`),
    KEY `couch_events_user_id_event_date_index`
    (`user_id`,`event_date`),
    KEY `couch_events_group_id_event_date_index`
    (`group_id`,`event_date`),
    KEY
    `couch_events_room_config_id_unix_timestamp_index`
    (`room_config_id`,`unix_timestamp`),
    KEY
    `couch_events_room_unit_id_event_date_index`
    (`room_unit_id`,`event_date`),
    KEY
    `couch_events_customer_id_event_date_index`
    (`customer_id`,`event_date`),
    KEY `couch_events_event_date_index`
    (`event_date`),
    KEY
    `couch_events_room_room_id_event_date_index`
    (`room_room_id`,`event_date`),
    KEY
    `couch_events_enabled_suppressed_room_room_id_event_date`
    (`reporting_enabled`,`reporting_suppressed`,`event_date`,`room_room_id`),
    KEY `couch_events_group_id_shift_date_index`
    (`group_id`,`shift_date`),

```

```

    KEY
`couch_events_room_room_id_shift_date_index`
(`room_room_id`,`shift_date`),
    KEY
`couch_events_customer_id_room_room_id_event_date`
(`customer_id`,`room_room_id`,`event_date`),
    KEY `test_lance_004`
(`customer_id`,`user_id`,`event_date`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8
COLLATE=utf8_unicode_ci
/*!50100 PARTITION BY RANGE (partition_id)
SUBPARTITION BY HASH (customer_id)
(PARTITION fresh VALUES LESS THAN (1)
(SUBPARTITION fresh_customer_0 ENGINE =
InnoDB,
SUBPARTITION fresh_customer_1 ENGINE =
InnoDB,
SUBPARTITION fresh_customer_2 ENGINE =
InnoDB,
SUBPARTITION fresh_customer_3 ENGINE =
InnoDB,
SUBPARTITION fresh_customer_4 ENGINE =
InnoDB),
PARTITION archive VALUES LESS THAN MAXVALUE
(SUBPARTITION archive_customer_0 ENGINE =
InnoDB,
SUBPARTITION archive_customer_1 ENGINE =
InnoDB,
SUBPARTITION archive_customer_2 ENGINE =

```

```
InnoDB,  
    SUBPARTITION archive_customer_3 ENGINE =  
InnoDB,  
    SUBPARTITION archive_customer_4 ENGINE =  
InnoDB)) */;
```